

CONSULATE GENERAL OF INDIA No. 4 Myin Pying Kwin Street Pyi Daw Thar Quarter Sittwe Township, Myanmar Tel: (0095) 43 2022918-19, 2022076 Fax: (0095) 43 2022917 Email: hoc.sittwe@mea.gov.in Website: www.cgisittwe.gov.in

No. Sit/Adm/885/04/2017

July 28, 2022

# **Notice Inviting Tender**

### Subject: <u>Supply, installation and maintenance of Closed Circuit Television (CCTV)</u> <u>Cameras at the Consulate General of India, Sittwe</u>

The Consulate General of India, Sittwe invites Technical and Financial Bids from authorised dealers/ contractors, reputed, experienced and financially sound companies, firms ("The Vendor") for supply, installation, commissioning and maintenance of Closed Circuit Television (CCTV) Camera System and other accessories at the Chancery building of the Consulate. The Cameras will be installed in the reception area, areas surrounding the building and the perimeter area.

2. The representatives of interested vendors may visit the site with prior appointment and submit their proposals/ rate quotations.

3. Tender documents can be downloaded from the Consulate website: <u>www.cgisittwe.gov.in</u>/ CPP Portal: <u>www.eprocure.gov.in</u>.

Date of publishing NIT	:	28.07.2022
Last date of submission of Tender	:	26.08.2022 (1700 hrs.)
Opening of Technical Bid	:	29.08.2022 (1500 hrs.)
<b>Opening of Financial Bid</b>	:	30.08.2022 (1000 hrs.)

4. Technical and Financial Bid must be submitted separately in a sealed envelopes clearly superscribed **"TECHINCAL BID FOR SUPPLY, INSTALLATION AND MAINTENANCE OF CCTV CAMERA SYSTEM AT CGI SITTWE"** and **"FINANCIAL BID FOR SUPPLY, INSTALLATION AND MAINTENANCE OF CCTV CAMERA SYSTEM AT CGI SITTWE"** along with all relevant documents to the "Head of Chancery, Consulate General of India, No. 4, Myin Pying Kwin Street, Pyi Daw Thar Quarter, Sittwe, Myanmar – 07011. Financial Bid submitted in a separate sealed envelope would be opened in respect of only those Bidders, whose Techincal Bids have been found meeting the required specifications at the Technical Bid evaluation stage. A bid sent through Fax or e-mail will not be accepted.

5. Representatives of bidding companies can be present at the time of opening of the bids. The bids shall be opened on **29**<sup>th</sup> **August, 2022 at 1500 hrs.** at the Consulate General of India, Sittwe.

6. The Consulate General of India, Sittwe reserves the right to reject any or all the bids without assigning any reason. The decision of the Consulate shall be final and binding.

-Sd-(Tsewang Gyaltson) Consul & Head of Chancery

Dated \_\_\_\_\_,2022

To,

Head of Chancery Consulate General of India Sittwe, Rakhine State

Ref: Supply, Installation and Maintenance of Closed Circuit Television System (CCTV) at the Chancery building of the Consulate.

Dear Sir,

Having examined the tender document relating to the Supply, Installation and Maintenance of Closed Circuit Television System (CCTV), we hereby submit our offer for the supply of the proposed items in accordance with terms and conditions and confirm our acceptance to execute the order within the time period specified in the tender document, at the rates quoted by us in the accompanying Technical & Financial Bid.

We further confirm that –

i. We have successfully executed orders of similar nature and we have sufficient experience and financial strength in handling orders of this value.

ii. We have sufficient qualified manpower and necessary materials and after sales support to execute the order efficiently in the specified time schedule.

iii. The quoted rates shall be valid not less than ninety (90) days from the date of opening of quotation.

iv. We further confirm that all chapters of the tender documents have been read, understood and signed and there is no deviation/discrepancy.

v. We agree to accept the extension order up to 100% quantity within three months of the issue of the order.

Signature of the Bidder With stamp and date

#### Consulate General of India Sittwe \*\*\*

#### No. Sit/Adm/885/04/2017

July 28, 2022

#### 1.0 GENERAL

The CCTV system shall be used to monitor and record the data of the visitors coming 1.1 from entry Gate of the Chancery, reception area and surrounding areas of the building and perimeter area. The vendor shall study the specifications and satisfy himself thoroughly and shall take full responsibility of the smooth, reliable and safe working. The representative of the vendor may visit the Consulate (herein referred as 'the site') prior to placing its bids for satisfying himself for supply of requisite items essential for smooth functioning of the system. Site can be inspected between 10 AM to 5 PM on all working days till 25.08.2022. No transportation allowance or any other incidentals shall be payable by the Consulate to any out-station vendor on account of initial site visit. However, transportation charges and other incidentals in respect of technician(s), if any, for final installation may be in included in the quotation. Technical and Financial Bid must be submitted separately in a sealed envelop clearly superscribed **"TECHINCAL BID FOR SUPPLY, INSTALLATION AND MAINTENANCE OF CCTV** CAMERA SYSTEM AT CGI SITTWE" and "FINANCIAL BID FOR SUPPLY, INSTALLATION AND MAINTENANCE OF CCTV CAMERA SYSTEM AT CGI SITTWE" along with all relevant documents to the "Head of Chancery, Consulate General of India, No. 4, Myin Pying Kwin Street, Pyi Daw Thar Quarter, Sittwe, Myanmar – 07011. Financial Bid submitted in a separate sealed envelop would be opened in respect of only those Bidders, whose Techincal Bids have been found meeting the required specifications at the Technical Bid evaluation stage. A bid sent through Fax or e-mail will not be accepted.

1.2 The project has to be implemented on a turn-key basis and therefore all items of instrument shall be completed in all respects and any instrument not covered in the specification but essential for proper installation, operation and maintenance of the instrument shall be included by the vendor in his offer and the reasons for such inclusion shall be clearly stated.

### 2.0 SCOPE OF WORK

2.1 The scope of work includes supply, installation and commissioning of CCTV System in accordance with the design & specifications given in "Annexure I Technical Bid A. TECHNICAL SPECIFICATIONS OF THE SECURITY SURVEILLANCE SYSTEM". In addition, the vendor will also undertake the maintenance of the complete system and supply of necessary spares.

2.2 Packaging, forwarding, transport, insurance, loading, unloading, precaution against damage during transit etc.

- 2.3 Performance Guarantee.
- 2.4 Two sets of operation and maintenance manuals.
- 2.5 Test Certificate: Vendor shall provide all necessary test certificates.

# 3.0 SAFETY

3.1 All equipment items shall be complete with approved safety devices, wherever a potential hazard to personnel exists, and with provision for safe access to personnel to and around the instrument for operational and maintenance functions.

## 4.0 TIME FOR COMPLETION

4.1 The vendor shall complete supply, installation and commissioning of the instrument within 3 months of placing the Purchase Order or the timeline specified by the Consulate.

### 5.0 TEST AND INSPECTION

5.1 Inspection of the equipment will be done at the Consulate.

5.2 The vendor shall demonstrate all the features of the equipment mentioned in the technical specification.

5.3 The vendor is solely responsible for installation, commissioning and making the complete system operational at user's site on a turn-key basis.

## 6.0 **OPERATION CONDITIONS**

6.1 All equipment shall be designed for smooth, efficient and trouble free operation in tropical humid climate of 45° C ambient and a humidity of 90% to 150%.

6.2 In cases where the offer deviates from the specification, the vendor shall indicate clearly in his offer the specification proposed by him along with details thereof and the reasons for the deviation. Each exception to the specification or other parts of the tender document shall be listed separately by the vendor. If exceptions are not clearly listed they will not be considered by the Purchaser later.

### 7.0 DOCUMENTS

7.1 The vendor shall supply the hard and soft copy of Operation and Maintenance manual in duplicate. All necessary literature giving complete technical details shall be provided. He should also provide the test certificates given by manufacturer.

7.2 The vendor shall provide the original DVD/CD of all the software used for operating the system.

## 8.0 INSTALLATION & COMMISSIONING

8.1 It is to be noted again that supply, installation and commissioning of the system with all accessories, auxiliaries, and any item not covered in the specification but essential for proper installation, operation and maintenance of the CCTV System shall be included and executed by the vendor. The project has to be implemented on a turn-key basis.

8.2 The supply will not be deemed complete until the commissioning trial of the whole system is carried out by the vendor at the site successfully.

## 9.0 PERFORMANCE AND GUARANTEE

9.1 All necessary tests shall be carried out at the site by the vendor to demonstrate whether performance of the instrument conforms to the relevant standards and specifications and meets the functional requirement indicated in the specification.

9.2 Five percent (5%) of the total payment value will be retained as Performance Guarantee for the period of warranty of one (01) year from the date of commissioning of the CCTV system. This amount will be released on satisfactory performance on completion of one year warranty period.

## 10.0 WARRANTY

10.1 The warranty period for the equipment will commence from the date of commissioning of the entire system and not from the date of delivery or installation.

10.2 The vendor shall provide warranty for the entire system for a minimum period of twelve (12) months from the date of commissioning or for the duration of OEM warranty period whichever is longer.

10.3 The time period for product warranty will be the same as the service warranty.

10.4 The vendor shall be responsible for routine and breakdown maintenance of the equipment during warranty period of twelve (12) months.

## **11.0 MAINTENANCE**

11.1 The vendor shall also provide an Annual Maintenance Contract (AMC) for a period of three (3) years, commencing after the expiry of the initial product/ service warranty, for maintaining the installed system and provide a dedicated on-call technician.

11.2 The AMC should include two (2) periodic maintenance service visit in a year, in addition to site visit for repairing faults on detection as and when required.

## **12.0 SERVICE AGREEMENT**

12.1 The selected vendor shall have to sign a Non-Disclosure Agreement (NDA) on the service to be provided as per **Annexure-III**.

### **13.0 PAYMENT TERMS**

13.1 The payment will be released in full only after receipt, satisfactory installation/ commissioning of the equipment in question and in good condition in the Consulate.

## 14.0 CAPABILITY AND EXPERIENCE

14.1 The vendor shall have executed at least two (2) similar kind of work within last 3 years. The vendor shall submit along the offer the reference list of the similar work. Offers received without the reference list may be rejected.

## 15.0 TRAINING

15.1 Vendor shall provide necessary on-site training about the working of CCTV System and the relevant software.

## 16.0 QUOTATION

16.1 Interested vendors should submit Technical Bid and Financial Bid separately in a sealed envelope clearly superscribed **"TECHINCAL BID FOR SUPPLY, INSTALLATION AND MAINTENANCE OF CCTV CAMERA SYSTEM AT CGI SITTWE"** and **"FINANCIAL BID FOR SUPPLY, INSTALLATION AND MAINTENANCE OF CCTV CAMERA SYSTEM AT CGI SITTWE"** along with all relevant documents within the specified date and time. A bid sent through Fax or e-mail will not be accepted.

16.2 Vendor can submit quotation in US Dollar only. The quote should be inclusive of all taxes.

## **17.0 CLARIFICATIONS**

17.1 For any clarification and appointment for site visit, the vendor may contact the Consulate by e-mail (<u>hoc.sittwe@mea.gov.in</u>/ <u>admn.sittwe@mea.gov.in</u>) and Tel. No. +95-43-2022918, 2022919, Fax: +95-43-2022917

## **18.0 LAST DATE OF RECEIPT OF TENDER**

18.1 Tender will not be accepted if they are received after the due date and time as specified in the Tender Notice i.e. on **26<sup>th</sup> August, 2022 1700 hrs.** 

18.2 The vendor shall be required to submit the complete layout plan before executing the work or submit the layout plan along with the Financial Bid.

## **19.0 CONSULATE GENERAL OF INDIA, SITTWE RESERVE THE RIGHT**

20.1. The right of acceptance of tender(s) will rest with Competent Authority. Also, the Consulate is not bound to accept the lowest tender and reserves the right to reject or partially accept any or all the tender(s) received without assigning any reasons thereof.

Annexure I

# **TECHNICAL BID**

# A. TECHNICAL SPECIFICATIONS OF THE SECURITY SURVEILLANCE SYSTEM

DEVICE/	PARTICULARS	MAKE	QUANTITY
EQUIPMENT			_
IP CCTV Camera*	2 to 5 MP Dome Varifocal	Bosch/ Honeywell/	1
		Pelco/ Panasonic/	
		Sony/ Samsung	
IP CCTV Camera*	2 to 5 MP Bullet Varifocal	Bosch/ Honeywell/	12
		Pelco/ Panasonic/	
		Sony/ Samsung	
IP CCTV Camera*	2 to 5 MP High Speed IP PTZ	Bosch/ Honeywell/	1
		Pelco/ Panasonic/	
		Sony/ Samsung	
Network Video	32 Channel, third-party network	Bosch/ Honeywell/	1
Recorder*	cameras supported, up to 5	Pelco/ Panasonic/	
	Megapixels resolution recording,	Sony/ Samsung	
	HDD quota and group management		
Surveillance-	8 TB HDD	Seagate, WD, LG	4
<b>Optimised Storage**</b>			
POE Switch	8 GE + 2 SFP port	Cisco/HP/ Alcatel-	
		Lucent/ Any	
		reputed brand	
Monitor	43" and 32" LED/LCD monitor, 4k	Reputed brand	1
	display, HDMI, USB 3.0, Ethernet		
	with wall mounting bracket		
Monitor	32" LED/LCD monitor, 4k display,	Reputed brand	1
	HDMI, USB 3.0, Ethernet with		
	wall mounting bracket		
CAT 6a UTP	Enhanced performance cable for	Reputed brand	
Cable, Server	transmission of high speed data,		
Cabinet +	digital and analogue voice and		
Accessories	video (RGB) signals on LANs,		
	12/17/42U Server Cabinet & shelf,		
	16A 6 ways PDU with Universal		
	Input Plug		
PVC Conduit,	Adaptable to standard concealed	Reputed brand	
Trunking +	wiring system as per IS: & BS:		
Accessories	Virgin Suspension grade K-67		
	PVC.		
Installation and User	Supply, installation, testing,		
Training	configuration and commissioning		
	of complete set up of		

	CCTVSystem. Manual Labour		
	work for all associated installation,		
	cabling and conduits works.		
	Supply and installation of all		
	equipment including all accessories		
	(cables, mounting arrangement,		
	clamps, brackets, etc.) required for		
	installation as per the proposed		
	layout		
All inclusive AMC	AMC For a period of three (3) years		
	commencing after the expiry of the		
	initial product/ service warranty		
Other Requirements	ts One year warranty/ guarantee for		
	all equipment		
	Delivery and unpacking at the		
	Consulate		

\* All cameras should be ULCAP (UL Cybersecurity Assurances Program) compliant. Network Video Recorder (NVR) should be of same company as that of the cameras.

# Recording facility to store and transfer upto ninety (90) days of recording.

# **B. MATRIX FOR TECHNICAL SPECIFICATIONS**

Sl. No.	Product Description	Unit	Qty	Whether the Company would be able to provide the given Specifications and Quantity (Yes/ No)	If not, the nearest Specification s that the Company can provide	Remarks
(1)	(2) CCTV System	(3)	(4)	(5)	(6)	(7)
1	Supply, Installation, Testing & Commissioning of Fixed Dome Indoor, 1080p or better True Day/ Night Network Switching IP, 2-4 MP, H.265 Dome Camera with external/internal IR with 1/3" or 1/2.7" or better Progressive Scan. The cameras shall have a minimum illumination of 0.008 Lux @50 IRE in colour mode, 0.001 Lux@50 IRE in Black & White mode and 0 Lux with external IR alongwith weather protected features. ( <b>Camera</b> <b>Should be - UL Listed</b> )	1				
2	Supply, Installation, Testing & Commissioning of Fixed Bullet Camera with 1/3" Progressive Scan CMOS Sensor, 0.008 Lux @ F1.2 Illumination with IR, Super WDR up to 120 db, 1920x1080 image resolution, H.265(HEVC)/H.264/MJPEG Video Compression alongwith weather protected features. (Camera Should be - UL Listed)	12				
3	Supply, Installation, Testing & Commissioning of High Speed Full HD PTZ Dome 1/1.8" or better CMOS Sensor, 2-3 MP Resolution, 36 Optical Zoom, 5-120 mm Focal Length, 255 Preset Position, 360 degree continuous Rotation, 8 group Cruise Track, 4 group Pattern Track, 0.01 Lux in Colour/0.001 Lux in B&W mode for minimum Illumination, H.265 Main Profile Encoding; MJMEG/JPEG Baseline Encoding. (Camera Should be - UL Listed)	1				
4	Supply, Installation, Testing & Commissioning of High Speed 32 CH NVR Video Output HDMI (1440x900 to 1920x1080) VGA (1440x900 to 1920x1080) CVBS (1440x900 to 1920x1080), Audio Input & Output supported, H.264 Video Compression, Audio Compression G711U, 4 SATA.	1				
5	Supply, Installation, Testing & Commissioning of Surveillance-Optimised storage of 8 TB capacity HDD	4				
6	Supply, Installation, Testing & Commissioning of 43 inches LED Monitor with 350 NITS Brightness.	1				
7	Supply, Installation, Testing & Commissioning of 32 inches LED Monitor with 350 NITS Brightness.	1				
8	Supply, Installation, Testing & Commissioning of 12/17/42U Rack for Switch Mounting with Fan	1				

	and Power Strip, PoU, Hardware Mounting Kit.			
9	Supply, Installation, Testing & Commissioning of	2		
9	6U Outdoor Industrial Rack for Switch Mounting	2		
	with Fan and Power Strip, PoU, Hardware			
	Mounting Kit.			
10	Supply, Installation, Testing & Commissioning of	2		
10	8/16 GE + 2 SFP Port PoE Switch, PoE Port	2		
	Output Power 15.4w/30w/IEEE802.3af/at,			
	Protocol Standard IEEE802.3af/IEEE802.3at,			
	Forwarding Rate 100Mbps: 14880pps /1000			
	Mbps:14800pps.			
11	Supply, Installation, Testing & Commissioning of	No.		
	fully loaded 8/ 24 Port Patch Panel available in	1101		
	1U 24 Port Density. Jack should be covered for			
	prevention from dust and other contaminants.			
	Flat type metal with perforated Rear Cable			
	Manager to hold Cables with Velcro or Cable			
	Ties. RoHS Compliant.			
12	Supply, Installation, Testing & Commissioning of	No.		
	LC-LC Single Mode, 3 mtr Fiber Patch Cord in			
	L.SOH Jacket, which reduces toxic/corrosive			
	gases emitted during combustion.			
13	Supply, Installation, Testing & Commissioning of	No.		
	3 mtr Data Patch Cord in.			
14	Supply, Installation, Testing & Commissioning of	Mete		
	Category 6A Field Termination Plugde signed to	r		
	support 10 GB Networks that can be easily			
15	terminated using parallel Jaw Pliers.	Mete		
15	Supplying and Drawing 3x 1.5 sq mm sizes of PVC insulated Copper Conductor, Single Core	r		
	Cable in the existing surface/ recessed steel/	-		
	PVC Conduit as required.			
16	Supplying and Fixing of 25 sizes of medium	Mete		
10	class PVC Conduit alongwith accessories in	r		
	surface/recess including cutting the wall and			
	making good the same in case of recessed			
	conduit as required.			
17	Supply & Laying of standardized 40 mm HDPE	Mete		
	Pipe (Medium) inside the soft soil in depth of	r		
	approx. 75 cm including Bends, Inspection Box			
	and all other material required to complete.			
18	Pole 6 meter Galvanized Pole	No.		
19	Trenching	Mete		
		r		
20	Junction Box	Nos		
21	Annual Maintenance Contract	3 yrs		
22	Any other Material/Equipment/ accessories and Specification thereof			
(a)	and opechication mercor			
(a) (b)				
(D) (C)				
(d)				
(u)				

## **C. GENERAL INFORMATION**

1	Name and Address of the Bidder	
2	Contacts	
3	Telephones	
4	Mobile no.	
5	Fax	
6	E-mail	
7	Category of the Bidder (Whether company, partnership firm or Proprietary concern)	
8	Name of Chief Executive Officer and Telephone no.	
9	Year of Establishment	
10	Name and address of the Banker	
11	a. Name of the proposed brand of CCTV Camera system	
	b. Whether the bidder is an authorised distributor of the OEM	
12	List of major Clients and the size of orders executed	

Note: Separate sheets may be attached wherever necessary.

It is hereby certified that M/s..... (Name of the Company) is capable of providing and undertakes to provide above "Specifications and Quantity" at the time of supply, installation, testing and commissioning of the CCTV System.

# (Seal & Signature of the authorised Company Representative) Name & Address

## D. DESIRED SPECIFICATIONS FOR THE PROPOSED CCTV CAMERAS

#### 2-4 Megapixel H.265 Vandal Proof Network Dome IR Camera

### **KEY FEATURES**

- 0.008 Lux
- H.265 High Efficiency Video Coding
- Integrated Motorized Varifocal Lens (Auto focus)
- Built-in ICR Filter for Day/Night switching
- Built-in web server for IE/Firefox/Chrome/Sarari preview
- 3D-DNR, Privacy Masking and Motion Detection
- Built-In efficient IR LEDs, IR distance up to 30m
- Weather-proof IP-67 rated housing
- Built-in 802.3af Compliant PoE
- Support ONVIF Profile S

	IP VIDEO SURVEILLANCE SOLUTION			
	DESCRIPTION	SPECIFICATIONS		
	Image Sensor	1/3" Progressive Scan CMOS		
	Min. Illumination	Color: 0.008Lux@F1.2, B/W: 0Lux with IR on		
	WDR	Super WDR up to 120dB		
CAMERA	Supply, Installation, Testing & Commissioning of Surveillance-Optimised storage of 4TB capacity HDDLens	3.6mm		
	Field of View	H78.4°~H26.2° (2.8~12mm)		
	Shutter Time	1/100000s~1/5s		
	IR Distance	Up to 30m		
	Day & Night	ICR Filter Auto Switch		
	Max Image Resolution	1920X1080		
	Frame Rate	20fps(2592x1520) 25fps(2304x1296) 25fps(1920x1080)		
VIDEO	Video Compression	H.265(HEVC) / H.264 / MJPEG		
	Video Bit Rate	160Kbps~16Mbps(CBR/VBR Adjustable)		
	Image Setting	Brightness/Contrast/Saturation/Sharpness		
	Ethernet	1*RJ45 10M / 100M Ethernet Port		
NETWORK	Network Storage	NAS(Support NFS, SMB/CIFS)		
	Protocol	TCP/IP, UDP, RTP, RTSP, HTTP, HTTPS,DNS,DDNS, DHCP, FTP, NTP, SMTP, SNMP, UPNP, SIP, IPv6, PPP0E, VLAN		
AUDIO	Audio Streaming	Built-in Microphone		
AUDIO	Audio Compression	G.711 and AAC		
SYSTEM	Advanced Function	Motion Detection, Privacy Masking, Backlight Compensation, 3D- DNR, ROI		
	SIP/VoIP Support	Yes, Voice & Video over IP		
	Event Trigger	Motion Detection, Network Disconnection, etc.		

	Event Action	FTP Upload/SMTP Upload/SIP Phone
	System Compatibility	ONVIF Profile S
	Power Supply	PoE
CENEDAL	Power Consumption	2.5W MAX, 5.5W MAX (With IR on) <b>{can be removed}</b>
GENERAL	Weather Proof	Up to IP67 Rating for Weather-resistant
	Certification	CE, FCC, Rohs

	NETWORK BULLET IR CAMERA (FIXED)		
KEY FEATU	RES		
	DESCRIPTION	SPECIFICATIONS	
	Image Sensor	1/3" Progressive Scan CMOS	
	Min. Illumination	Color: 0.008Lux@F1.2, B/W: 0Lux with IR on	
	WDR	Super WDR up to 120dB	
	Lens	3.6mm	
CAMERA	Field of View	H78.4°~H26.2° (2.8~12mm)	
	Shutter Time	1/100000s~1/5s	
	IR Distance	Up to 30m	
	Day & Night	ICR Filter Auto Switch	
	Max Image Resolution	1920X1080	
	Frame Rate	20fps(2592x1520) 25fps(2304x1296) 25fps(1920x1080)	
	Video Compression	H.265(HEVC) / H.264 / MJPEG	
VIDEO	Video Bit Rate	160Kbps~16Mbps(CBR/VBR Adjustable)	
	Image Setting	Brightness/Contrast/Saturation/Sharpness	
	Ethernet	1*RJ45 10M / 100M Ethernet Port	
NETWORK	Network Storage	NAS(Support NFS, SMB/CIFS)	
	Protocol	TCP/IP, UDP, RTP, RTSP, HTTP, HTTPS,DNS,DDNS, DHCP, FTP, NTP, SMTP, SNMP, UPNP, SIP, IPv6, PPPoE, VLAN	
	Audio Streaming	N/A	
AUDIO	Audio Compression	N/A	
	Advanced Function	Motion Detection, Privacy Masking, Backlight Compensation, 3D- DNR, ROI	
SYSTEM	SIP/VoIP Support	Yes, Voice & Video over IP	
	Event Trigger	Motion Detection, Network Disconnection, etc.	
	Event Action	FTP Upload/SMTP Upload/SIP Phone	
	System Compatibility	ONVIF Profile S	
	Power Supply	PoE	

	Power Consumption	5.5W MAX, 9.5W MAX (With IR on) {can be removed}
GENERAL	Weather Proof	Up to IP67 Rating for Weather-resistant
GERENE	Certification	CE, FCC, Rohs

#### NETWORK BULLET IR CAMERA (MOTORIZED)

#### **KEY FEATURES**

- 0.008 Lux
- Super WDR up to 140 dB
- H.265 High Efficiency Video Coding
- Integrated Motorized Varifocal Lens (Auto focus)
- Built-in ICR Filter for Day/Night switching
- Built-in web server for IE/Firefox/Chrome/Sarari preview
- 3D-DNR, Privacy Masking and Motion Detection
- Built-In efficient IR LEDs, IR distance up to 30m
- Weather-proof IP-67 rated housing
- Built-in 802.3af Compliant PoE
- Support ONVIF Profile S

#### **IP VIDEO SURVEILLANCE SOLUTION**

IP VIDEO SURVEILLANCE SOLUTION		
	DESCRIPTION	SPECIFICATIONS
	Image Sensor	1/3" Progressive Scan CMOS
	Min. Illumination	Color: 0.008Lux@1.2, B/W: 0Lux with IR on
	WDR	Super WDR up to 120dB
	Lens	Motorized 2.8 ~ 12mm
CAMERA	Field of View	H78.4°~H26.2° (2.8~12mm)
	Shutter Time	1/100000s~1/5s
	IR Distance	Up to 30m
	Day & Night	ICR Filter Auto Switch
	Max Image Resolution	1920x1080
	Frame Rate	20fps(2592x1520) 25fps(2304x1296) 25fps(1920x1080)
VIDEO	Video Compression	H.265(HEVC) / H.264 / MJPEG
VIDLO	Video Bit Rate	160Kbps~16Mbps(CBR/VBR Adjustable)
	Image Setting	Brightness/Contrast/Saturation/Sharpness
	Ethernet	1*RJ45 10M / 100M Ethernet Port
NETWORK	Network Storage	NAS(Support NFS, SMB/CIFS)
	Protocol	TCP/IP, UDP, RTP, RTSP, HTTP, HTTPS,DNS,DDNS, DHCP, FTP, NTP, SMTP, SNMP, UPNP, SIP, IPv6, PPPoE, VLAN
	Audio Streaming	N/A
AUDIO	Audio Compression	N/A
	Advanced Function	Motion Detection, Privacy Masking, Backlight Compensation, 3D-

		DNR, ROI
SYSTEM	SIP/VoIP Support	Yes, Voice & Video over IP
	Event Trigger	Motion Detection, Network Disconnection, etc.
	Event Action	FTP Upload/SMTP Upload/SIP Phone
	System Compatibility	ONVIF Profile S
	Power Supply	PoE
	Power Consumption	5.5W MAX, 9.5W MAX (With IR on) {can be removed}
GENERAL	Weather Proof	Up to IP67 Rating for Weather-resistant
	Certification	CE, FCC, Rohs

	Hig	h Speed full HD PTZ Dome (36X) Camera	
- 2-3 Mi - 36x Oj - 5-120 - 255 Pr - 360 Co - 8 Cruis	EATURES P Resolution otical Zoom mm Focal Length eset Position onsinuous Rotation se Track rn Track		
Sl.No	Description	Specification	
1.	Signal model	PAL / NTSC	
2.	Image Sensor	1/1.8" or better CMOS	
3.	Effective pixel	2084(H)* 1536(V)	
4.	Horizontal Resolution	2-3 MP	
5.	Minimum Illumination	Colour-0.01 lux / B&W - 0.001 Lux	
6.	S/N radio	>60dB	
7.	Backlight compensation	On/Off	
8.	White balance	Auto	CAMERA
9.	Electronic shutter	PAL:1/25~1/100000s NTSC:1/30~1/100000s	
10.	Focus length	5-120mm	
11.	Optical focus	36x	
12.	Focus system	Auto/Manual	
13.	IR distance	150M	
14.	IR light control	Intelligent control technology	
15.	IR light angle	Infrared zoom matching technology	
16.	IR light power	Auto setting	
17.	IR on	Day/Night/Auto/Timing	
18.	IR Life	30000 hours	
19.	Horizontal range	360° Continuous rotation	
20.	Vertical range	(-90°~0°)	

21.	Preset call speed	Max 200°/S	SYSTEM	
22.	Manual call speed	eed 0.01°~180°/S		
23.	Presets	255		
24.	Cruise track	8 groups, each group for 16 presets		
25.	Patrol tract	4 groups, each group record 3 mins		
26.	Video compression	H.265 Main Profile encoding ; MJPEG /JPEG Baseline encoding		
27.	Audio compression	G.711, G.726		
28.	Primary stream	nary stream 2048*1536 25fps		
29.	Secondary stream	720P, VGA 25fps	SYSTEM	
30.	Video bit rate	32Kbps-16Mbps continuously adjustable, support CBR / VBR		
31.	Alarm Input / Output	Yes 1/1		
32.	Network protocol	TCP/IP,UDP,RTP,RTSP,RTCP,HTTP,DNS,DDNS, DHCP,FTP,NTP,PPPOE,SMTP,UPNP		
33.	ONVIF support	Support		
34.	Cooling Structure	Dustproof structure outside the circle	]	
35.	Protection level	IP66	GENERAL	
36.	Power supply / PoE	DC12V(4A)/PoE Supported	]	
37.	Certification	CE, FCC, RoHS		

# **Other Technical Specifications**

## 32 CH NVR (4HDD)

## **KEY FEATURES**

- P2P cloud service, including cloud connecting, cloud monitoring, cloud transmitting to access IPC and NVR at any time and any place.

- Support Onvif protocol, support High profile S, High profile G, compatible with different IP camera that based on Onvif, RTSP standard.

- Support for H.264+ encoding format streaming access and decoding output
- Support megapixel HD network video preview, storage and playback
- Support search, playback and backup by event

- Support all channel image display on one screen at same time, support 4 channels' image display by mainstream and 4 channels playback

- Support monitor PTZ on preview mode

S.No	DESCRIP- TION	SPECIFICATION
1	Operation System	Embedded LINUX system
2.	Dual Stream	Channel can set main stream and sub stream
3.	Video Standard	H.264+/H.264
4.	Monitoring	4K / 5MP / 3MP / 2MP / 1.3MP / 1MP

	Image QualitySupply, Installation, Testing & Commissioning of Surveillance- Optimised storage of 4TB capacity HDD	
5.	Image Motion Image	Each screen can set multiple detection areas and set 6-level sensitivity
6.	Recording Playback Quality	Any 4ch 8MP playback/9ch 5MP playback/16ch 2 MP playback simultaneously
7.	Recording Mode	Support manual, auto, dynamic detection, alarm trigger record mode
8.	Backup Way	Support U disk, USB mobile HDD, USB DVDRW, network storage and backup (Partly needs IPC Support)
9.	Operation Way	Mouse, Keyboard
10.	Local Login	Username and password
11.	Recording Storage	Local HDD, network
12.	Video Input (mode)	1) 32x(3840*2160)+sub[960*576]+4Ref.+4Play H.264+8M/ch 32ch 4K IP Camera 2) 32x(2592*1944)+sub[960*576]+4Ref.+9Play H.264+8M/ch 32ch 5MP IP Camera 3)32x(1920*1080)+sub[960*576]+4Ref.+16Play H.264+4M/ch 32ch 2MP IP Camera
13.	Audio Input	32ch network audio input
14.	Video Output	1ch VGA+1ch HDMI
15.	Audio Port	1ch RCA output
16.	Network Port	1 RJ45, 10M/100M/1000M self-adaptive LAN
17.	RS485 Port	Full duplex standard 485 port
18.	USB Port	1USB 3.0 Port, 2 USB 2.0 ports
19.	Alarm Input / Output	4ch / 4ch
20.	HDD Port	4xSATA+1xE-SATAHDD Port
21.	Max Capacity	Each Port supports MAX 6 TB HDD
22.	Mobile Surveillance	Supported
23.	Certification	CE, FCC, RoHS

## DATA SHEET FOR 16 GE + 2 SFP PORT POE SWITCH

Sl. No.	DESCRIPTION	SPECIFICATION
1	PoE Port	16*10/100/1000 port support IEEE802.3af/at
2	SFP port	Yes
3	PoE port output power	15.4W/30W IEEE802.3af/at
4	PoE power supply pins	Both <sup>1</sup> / <sub>2</sub> +, 3/6- and 4/5+, 7/8-
5	Transmission distance	100 ~ 150m
6	Protocol standard	IEEE802.3af/IEEE802.3at
7	PoE type	End-span
8	Network standard	IEEE 802.3, IEEE802.3u, 802.3x, 802.3af/at
9	Network medium	10/100/1000Mpbs 5 class and above non shielded twisted pair
10	Network Signal Distance	<150m
11	Switch capability	7.2Gbps
12	Forwarding Mode	Store and forward
13	Forwarding Rate	100Mbps:14880pps / 1000Mbps:14800pps
14	MAC Address	MAC address table 8K
15	Port function	Power priority mechanism, fast and forward, MAC IEEE802.3X Full-duplex and mode and backpressure for Half-duplex mode
16	Indicator	Each port occupied 1 LINK/ACT.100Mbps POE Status Indicator, Whole power indicator
17	Working Temperature	-10° ~ 55° C
18	Input power	AC100-240V 50/60HZ
19	Whole power	250W

## Annexure II

## FINANCIAL BID

## A. MATRIX FOR FINANCIAL BID

Sl. No.	Product Description	Unit	Qty	Warranty (Months)	Rate per Unit	Total Cost (Rate x Qty) (US\$/ MMK)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
	CCTV System					
1	Supply, Installation, Testing & Commissioning of Fixed Dome Indoor, 1080p or better True Day/Night Network Switching IP, 2-4 MP, H.265 Dome Camera with external/internal IR with 1/3" or 1/2.7" or better Progressive Scan. The cameras shall have a minimum illumination of 0.008 Lux @50 IRE in colour mode, 0.001 Lux@50 IRE in Black & White mode and 0 Lux with external IR alongwith weather protected features. ( <b>Camera Should be - UL Listed</b> )	1				
2	Supply, Installation, Testing & Commissioning of Fixed Bullet Camera with 1/3" Progressive Scan CMOS Sensor, 0.008 Lux @ F1.2 Illumination with IR, Super WDR up to 120 db, 1920x1080 image resolution, H.265(HEVC)/H.264/MJPEG Video Compression alongwith weather protected features. (Camera Should be - UL Listed)	12				
3	Supply, Installation, Testing & Commissioning of High Speed Full HD PTZ Dome 1/1.8" or better CMOS Sensor, 2-3 MP Resolution, 36 Optical Zoom, 5-120 mm Focal Length, 255 Preset Position, 360 degree continuous Rotation, 8 group Cruise Track, 4 group Pattern Track, 0.01 Lux in Colour/0.001 Lux in B&W mode for minimum Illumination, H.265 Main Profile Encoding; MJMEG/JPEG Baseline Encoding. (Camera Should be - UL Listed)	1				
4	Supply, Installation, Testing & Commissioning of High Speed 32 CH NVR Video Output HDMI (1440x900 to 1920x1080) VGA (1440x900 to 1920x1080) CVBS (1440x900 to 1920x1080), Audio Input & Output supported, H.264 Video Compression, Audio Compression G711U, 4 SATA.	1				
5	Supply, Installation, Testing & Commissioning of Surveillance-Optimised storage of 8TB capacity HDD	4				
6	Supply, Installation, Testing & Commissioning of 43 inches LED Monitor with 350 NITS Brightness.	1				
7	Supply, Installation, Testing & Commissioning of 32 inches LED Monitor with 350 NITS Brightness.	1				

			1	
8	Supply, Installation, Testing & Commissioning	1		
	of 12/17/42U Rack for Switch Mounting with			
	Fan and Power Strip, PoU, Hardware			
9	Mounting Kit. Supply, Installation, Testing & Commissioning	1		
9	of 6U Outdoor Industrial Rack for Switch	1		
	Mounting with Fan and Power Strip, PoU,			
	Hardware Mounting Kit.			
10	Supply, Installation, Testing & Commissioning	2		
	of 8/16 GE + 2 SFP Port PoE Switch, PoE Port			
	Output Power 15.4w/30w/IEEE802.3af/at,			
	Protocol Standard IEEE802.3af/IEEE802.3at,			
	Forwarding Rate 100Mbps: 14880pps /1000			
11	Mbps:14800pps. Supply, Installation, Testing & Commissioning	No.		
11	of fully loaded 8/ 24 Port Patch Panel available	110.		
	in 1U 24 Port Density. Jack should be covered			
	for prevention from dust and other			
	contaminants. Flat type metal with perforated			
	Rear Cable Manager to hold Cables with			
10	Velcro or Cable Ties. RoHS Compliant.	ът.		
12	Supply, Installation, Testing & Commissioning	No.		
	of LC-LC Single Mode, 3 mtr Fiber Patch Cord in L.SOH Jacket, which reduces			
	toxic/corrosive gases emitted during			
	combustion.			
13	Supply, Installation, Testing & Commissioning	No.		
	of 3 mtr Data Patch Cord in.			
14	Supply, Installation, Testing & Commissioning	Mete		
	of Category 6A Field Termination Plugde	r		
	signed to support 10 GB Networks that can be			
15	easily terminated using parallel Jaw Pliers. Supplying and Drawing 3x 1.5 sq mm sizes of	Mete		
15	PVC insulated Copper Conductor, Single Core	r		
	Cable in the existing surface/ recessed steel/			
	PVC Conduit as required.			
16	Supplying and Fixing of 25 sizes of medium	Mete		
	class PVC Conduit alongwith accessories in	r		
	surface/recess including cutting the wall and			
	making good the same in case of recessed			
17	conduit as required. Supply & Laying of standardized 40 mm	Mete		
1/	HDPE Pipe (Medium) inside the soft soil in	r		
	depth of approx. 75 cm including Bends,			
	Inspection Box and all other material required			
	to complete.			
18	Pole 6 meter Galvanized Pole	No.		
19	Trenching	Mete		
20	Junction Box	r Nos		
21	Annual Maintenance Contract	3 yrs		
22	Any other Material/Equipment/ accessories and Specification thereof			
(a)				
(a) (b)				
		1	1	

(c)				
(d)				
23	Any other Charges, Taxes etc			

Total (in figures US\$)..... Total (in words).....

Note:

1. The Financial Bid shall not include any conditions attached to it and any such conditional financial proposal shall be rejected summarily.

2. The total quoted price should include all travel cost, shipping charges and other administrative cost, if any, that may be incurred by the vendor as part of this project.

3. The total cost for each items should be clearly mentioned. Price quoted only on rate per unit basis will not be accepted.

4. Separate sheets may be attached wherever necessary.

(Seal & Signature of the authorised Company Representative) Name & Address:

#### Non-Disclosure Agreement

WHEREAS the Discloser possesses certain information relating to the security set-up, security architecture, lay-out, security processes and procedures, designs, drawings, software and hardware configuration, computer programs, algorithms, services, customers etc that is confidential and proprietary in nature (hereinafter called as **"Confidential Information**"); and

WHEREAS the Recipient is bound to get to know about the Confidential Information in pursuant to the terms of the Agreement for the purpose of supply, installation, testing, commissioning and maintenance of a CCTV System (hereinafter called as "**Purpose**") in the ...... (hereinafter called as "Premises");

NOW THEREFORE, in consideration for the mutual undertakings of the Discloser and the Recipient under this Agreement, the Parties agree as follows:

1. **Disclosure:** Recipient agrees not to disclose and the Discloser agrees to let the Recipient have the access to the Confidential Information as identified and reduced in writing or provided verbally or in any other way not reduced in writing at the time of such disclosure of the information.

### 2. Confidentiality:

2.1 <u>No Use:</u> Recipient agrees not to use the Confidential Information in any way or under any circumstances share the same, in writing or through any other means, with any Third Party.

2.2 <u>No Unauthorized Disclosure:</u> Recipient agrees to use its best efforts to prevent and protect the Confidential Information, or any part thereof, from disclosure *to any person(s) or entity(ies), even if authorized or directed under any law, without the express permission of the Discloser.* Discloser, notwithstanding, shall have the right to deny such disclosure of the Confidential Information being detrimental to the security interests of the Discloser and/ or its premises and employees.

2.3 <u>Protection of Secrecy</u>: Recipient agrees to take all steps necessary to protect the secrecy of the Confidential Information, and to prevent the Confidential Information from falling into the public domain or into the possession of unauthorized person(s) and/ or entity(ies).

2.4 Recipient agrees that the layout plan of the structural design of the Premises, whether in in physical or electronic form, shall always be in the custody of the Discloser. However, the Recipient shall have the access to the layout plan for the purpose of carrying out the contract for installation of CCTV System.

3. Notices: All notices hereunder shall be given by letter, addressed as follows:

<b>Consulate General of India</b> No. 4, Myin Pying Kwin Street Pyi Daw Thar Quarter, Sittwe Rakhine State, Myanmar	<b>[Name of the Company]</b> [Address]
Attention: [Insert Name]	Attention: [Insert Name]
Title: [Insert Designation]	Title: [Insert Designation]
E-mail: [Insert E-mail]	E-mail: [Insert E-mail]
Telephone: [Insert Number]	Telephone: [Insert Number]
Fax: [Insert Number]	Fax: [Insert Number]

- 4. **Term and Termination:** The term of this Agreement shall commence on the Effective Date *i.e. the date of signing the Agreement for the Purpose* and continue for such a period *until and unless the Discloser terminates the Agreement or the Premises is relocated or vacated or abandoned, whichever is earlier.*
- 5. Breach: The Recipient acknowledges that disclosure or use of Confidential Information in violation of this Agreement could cause irreparable harm to Discloser *including loss of lives and limbs of the persons and damage to the property, for which monetary damages may be difficult to ascertain or turn to be meaningless.* The Recipient therefore agrees that Discloser will have the right, in addition to its other rights and remedies, to seek injunctive relief for violations of this Agreement.
- 6. In case the Discloser suspects any violation of this Agreement, upon reasonable notice, it shall be binding for the Recipient to allow the Discloser to carry out an Audit by itself or by an authorized representative. In such a situation, the Recipient shall cooperate with the Discloser. *The onus to rebut the suspicion shall lie on the Recipient.*
- 7. Any dispute or difference arising out of or in connection with this Non-Discloser Agreement shall be settled amicably by the Parties through mutual negotiations. Any unsettled dispute or difference shall be referred to Arbitration by a Sole Arbitrator. The Arbitration shall be conducted in accordance with the rules and procedure of UNCITRAL in force on the date of Agreement. Arbitration proceedings shall be held in India and will be conducted in English. The decision of Arbitral Tribunal shall be final and binding on all Parties. Cost of Arbitration shall be borne by Parties themselves unless and otherwise ordered by the Tribunal.
- 8. This Agreement shall be governed by and construed in accordance with the laws in force in India.

### 9. Miscellaneous:

- a) Except in the event of an amalgamation or merger with or take-over by a third party of their business, neither Party may assign or transfer its rights or obligations in this Agreement without the prior written consent of the other.
- b) The Parties do not intend that any agency or partnership relationship be created by them by this Agreement.
- c) All additions or modifications to this Agreement must be made in writing and signed by an authorized representative of each Party.

### ACCEPTED AND AGREED

### **Consulate General of India**

No. 4, Myin Pying Kwin Street Pyi Daw Thar Quarter, Sittwe Rakhine State, Myanmar

Attention: [Insert Name] Title: [Insert Designation] E-mail: [Insert E-mail] Telephone: [Insert Number] Fax: [Insert Number] [Name of the Company] [Address]

Attention: [Insert Name] Title: [Insert Designation] E-mail: [Insert E-mail] Telephone: [Insert Number] Fax: [Insert Number]